



POWERFUL COVID-19 PROTECTION, MINIMAL DISRUPTION

NUVAXOVID is a vaccine to protect against COVID-19 for people who are:

- 65 years of age and older, or
- 12 years through 64 years of age at high risk for severe COVID-19

Vaccination with NUVAXOVID may not protect all people who receive the vaccine.

NUVAXOVID does not contain SARS-CoV-2, the virus that causes COVID-19. NUVAXOVID cannot give you or your child COVID-19.

SELECT IMPORTANT SAFETY INFORMATION

You or your child should not get NUVAXOVID if you had a severe allergic reaction to a previous dose of NUVAXOVID or to any of its ingredients.

PLEASE SEE ADDITIONAL IMPORTANT SAFETY INFORMATION THROUGHOUT AND FULL PRESCRIBING INFORMATION HERE.

sanofi

WHAT IS NUVAXOVID?

POWERFUL PROTECTION



~90% effective in protecting against illness from COVID-19 in a clinical study.



100% protection against moderate-to-severe disease in a clinical study

Nuvaxovid may not protect all patients

MINIMAL DISRUPTION



In clinical trials, the majority of side effects were mild to moderate and would not prevent daily activities, according to FDA grading.

PROTEIN-BASED TECHNOLOGY



Nuvaxovid is **protein-based**; it's made with technology already used for certain modern flu vaccines.



It's the **only recombinant protein-based**, non-mRNA COVID-19 vaccine available.



The **potent, naturally derived adjuvant** provides a robust and enhanced immune response.

WHO IS NUVAXOVID FOR?



NUVAXOVID is a vaccine indicated for active immunization to prevent COVID-19 caused by severe acute respiratory syndrome SARS-CoV-2 **in adults 65+**



NUVAXOVID is also indicated for **individuals 12-64 years who have at least one underlying condition** that puts them at high risk for severe outcomes from COVID-19



Can be your **primary dose or a routine COVID-19 vaccination**, regardless of what COVID-19 vaccine you've had before

CONDITIONS THAT CAN INCREASE RISK

If you are over 65 years of age and/or have an underlying condition, you are at elevated risk of severe COVID-19. Around 75% of American adults are at high risk due to underlying conditions, such as:

- Cancer
- Cerebrovascular disease, including stroke
- Chronic lung, kidney, and liver diseases
- Diabetes (type 1 or type 2)
- Heart failure and heart conditions
- Mental health conditions, including depression
- Physical inactivity, overweight/obesity
- Weakened immune system

The complete and most up-to-date list is available on the CDC website.

ADMINISTRATION AND STORAGE



Ready to use—no dilution, mixing, or thawing required
Ships in a carton of 10 pre-filled syringes, each containing 1 dose of 0.5mL



Store in standard refrigerator
Store pre-filled syringes between 2 to 8°C (36 to 46°F)



Do not freeze. Protect from light
Only store pre-filled syringes in a standard refrigerator

FAQs



Can I get NUVAXOVID if I previously had an mRNA vaccine for COVID-19?
Yes, you can get NUVAXOVID regardless of what COVID-19 vaccine you've had before.



Is it possible to get NUVAXOVID at the same time as a flu shot?
The CDC supports getting both vaccines at the same time.

SELECT IMPORTANT SAFETY INFORMATION

There is a remote chance that the vaccine could cause a severe allergic reaction, which would usually occur within a few minutes to one hour after getting a dose. For this reason, the vaccination provider may ask you or your child to stay at the place where you or your child received the vaccine for monitoring after vaccination. Signs of a severe allergic reaction can include: difficulty breathing, swelling of the face and throat, a fast heartbeat, a bad rash all over the body and/or dizziness and weakness.

Myocarditis (inflammation of the heart muscle) and pericarditis (inflammation of the lining outside the heart) have occurred in some people who have received NUVAXOVID. The chance of having this occur is very low. You should seek medical attention right away if you or your child have any of the following symptoms after receiving the vaccine: chest pain; shortness of breath; feelings of having a fast-beating, fluttering, or pounding heart.

Other side effects reported in clinical trials and/or post-approval use of NUVAXOVID include: Injection site reactions (pain/tenderness, swelling, redness and itching), fatigue or generally feeling unwell, muscle pain, headache, joint pain, nausea, vomiting, fever, chills, allergic reactions such as hives and swelling of the face, swollen lymph nodes, paresthesia (unusual feeling in the skin such as tingling or a crawling feeling), and hypoesthesia (decreased feeling or sensitivity, especially in the skin).

PLEASE SEE ADDITIONAL IMPORTANT SAFETY INFORMATION THROUGHOUT AND [FULL PRESCRIBING INFORMATION HERE](#).

POWERFUL PROTECTION, MINIMAL DISRUPTION

NUVAXOVID:



Is for adults 65+ and people 12-64 who have at least one underlying health condition that puts them at high risk for severe outcomes from COVID-19



Was ~90% effective in protecting against illness from COVID-19 in a clinical study



In clinical trials, the majority of side effects were mild to moderate and would not prevent daily activities, according to FDA grading.



Is a protein-based, non-mRNA COVID-19 vaccine

DID YOU KNOW?

- Nuvaxovid is made with technology already used for certain modern flu vaccines.
- According to the CDC, you can get both your COVID-19 and flu vaccines at the same time.



**SCAN TO
LEARN MORE
ABOUT NUVAXOVID**

PLEASE SEE ADDITIONAL IMPORTANT SAFETY INFORMATION THROUGHOUT AND [FULL PRESCRIBING INFORMATION HERE.](#)

sanofi

©2026 Sanofi. All rights reserved. All trademarks mentioned are the property of the Sanofi group except where trademarks are owned by third parties.

Sanofi, 1 Discovery Drive, Swiftwater, PA 18370
MAT-US-2509061-v4.0-07/2026